

Zuordnungsliste

15.06.2008

Modell	Typ	Vorderrad			Hinterrad			bar V	bar H
Moto Guzzi		Dimension		AVON-Profil	Dimension		AVON-Profil		
Nevada 350		100/90-18	56H TL	AM41 Venom-X	MT90B16	74H TL	AM42 Venom-X	2	2,5
		100/90-18	56V TL	AM20 Super Venom	MT90-16	74V TL	AM18 Super Venom	2	2,5
		100/90-18	56H TL	Roadrider AM26F	MT90-16	74V TL	Roadrider AM26R	2	2,5
V 35 I, II, Imola	PA/PC	90/90-18	51H TL	AM20 Roadrunner	100/90-18	56H TL	AM21 Roadrunner	2,2	2,6
		90/90-18	51V TL	Roadrider AM26F	100/90-18	54V TL	Roadrider AM26R	2,2	2,6
V 35 III	PY	100/90-16	54V TL	Roadrider AM26F	110/80-18	58V TL	Roadrider AM26R	2,2	2,6
V 50 C	PM	100/90-18	56H TL	AM41 Venom-X	MT90B16	74H TL	AM42 Venom-X	2	2,5
		100/90-18	56H TL	AM41 Venom-X	MT90-16	74H TL	AM21 Roadrunner	2	2,5
		100/90-18	56V TL	Roadrider AM26F	MT90-16	74V TL	Roadrider AM26R	2	2,5
V 50 I, II, III, Monza	PA/PC	90/90-18	51H TL	AM20 Roadrunner	100/90-18	56H TL	AM21 Roadrunner	2	2,5
		90/90-18	51V TL	Roadrider AM26F	100/90-18	54V TL	Roadrider AM26R	2	2,5
V 65, SP	PG	100/90-18	56V TL	AM20 Super Venom	110/90-18	61V TL	AM18 Super Venom	2	2,5
		100/90-18	56H TL	Roadrider AM26F	110/90-18	61V TL	Roadrider AM26R	2	2,5
V 65 Florida	PW	100/90-18	56V TL	AM20 Super Venom	MT90-16	74V TL	AM18 Super Venom	2	2,5
		100/90-18	56H TL	AM41 Venom-X	MT90-16	74H TL	AM21 Roadrunner	2	2,5
		100/90-18	56H TL	Roadrider AM26F	MT90-16	74V TL	Roadrider AM26R	2	2,5
750 Strada		110/90-18	61V TL	AM20 Super Venom	120/90-18	65V TL	AM18 Super Venom	2,5	2,9
		110/90-18	61V TL	Roadrider AM26F	120/90-18	65V TL	Roadrider AM26R	2,5	2,9
V 75	PX	110/90-16	59V TL	AM20 Super Venom	120/90-18	65V TL	AM18 Super Venom	2,5	2,9
		110/90-16	59V TL	Roadrider AM26F	120/90-18	65V TL	Roadrider AM26R	2,5	2,9
Nevada 750 Classic		110/90-18	61V TL	Roadrider AM26F	MT90-16	74V TL	Roadrider AM26R	2,3	2,5
		110/90-18	61V TL	AM20 Super Venom	MT90-16	74V TL	AM18 Super Venom	2,3	2,5
Nevada 750 Touring		110/90-18	61V TL	Roadrider AM26F	MT90-16	74V TL	Roadrider AM26R	2,3	2,5
		110/90-18	61V TL	AM20 Super Venom	MT90-16	74V TL	AM18 Super Venom	2,3	2,5
Nevada 750	LF	100/90-18	56H TL	AM41 Venom-X	MT90B16	74H TL	AM42 Venom-X	2,3	2,5
		100/90-18	56H TL	AM41 Venom-X	MT90-16	74H TL	AM21 Roadrunner	2,3	2,5
		100/90-18	56V TL	Roadrider AM26F	MT90-16	74V TL	Roadrider AM26R	2,3	2,5
Breva 750 Touring		110/70-17	54H TL	HKM AM51	130/80-17	65H TL	HKM AM52	2,3	2,5
		110/70-17	54V TL	Roadrider AM26F	130/80-17	65V TL	Roadrider AM26R	2,3	2,5
Breva 750	LL	110/70-17	54H TL	HKM AM51	130/80-17	65H TL	HKM AM52	2,3	2,5
		110/70-17	54V TL	Roadrider AM26F	130/80-17	65V TL	Roadrider AM26R	2,3	2,5
850 Le Mans I	VE, VF	100/90-18	56V TL	AM20 Super Venom	120/90-18	65V TL	AM18 Super Venom	2,5	2,9
		100/90-18	56V TL	Roadrider AM26F	120/90-18	65V TL	Roadrider AM26R	2,5	2,9
850 Le Mans II	VE, VF	100/90-18	56V TL	AM20 Super Venom	120/90-18	65V TL	AM18 Super Venom	2,5	2,9

### Zuordnungsliste

15.06.2008

		100/90-18	56V TL	Roadrider AM26F	120/90-18	65V TL	Roadrider AM26R	2,5	2,9
850 Le Mans III	VE, VF	100/90-18	56V TL	AM20 Super Venom	120/90-18	65V TL	AM18 Super Venom	2,5	2,9
		100/90-18	56V TL	Roadrider AM26F	120/90-18	65V TL	Roadrider AM26R	2,5	2,9
850 T3, T4	VD	100/90-18	56H TL	AM41 Venom-X	110/90-18	61H TL	AM21 Roadrunner	2,5	2,9
		100/90-18	56V TL	Roadrider AM26F	110/90-18	61V TL	Roadrider AM26R	2,5	2,9
850 T3 California	VD	110/90-18	61V TL	AM20 Super Venom	110/90-18	61H TL	AM21 Roadrunner	2,5	2,9
		110/90-18	61V TL	Roadrider AM26F	110/90-18	61V TL	Roadrider AM26R	2,5	2,9
850 T5	VR	110/90-16	59V TL	AM20 Super Venom	MT90-16	74H TL	AM21 Roadrunner	2,5	2,9
		110/90-16	59V TL	Roadrider AM26F	MT90-16	74V TL	Roadrider AM26R	2,5	2,9
1000California II	VT	110/90-18	61V TL	AM20 Super Venom	120/90-18	65V TL	AM18 Super Venom	2,4	2,8
		110/90-18	61V TL	Roadrider AM26F	120/90-18	65V TL	Roadrider AM26R	2,4	2,8
1000 G 5	VG	100/90-18	56H TL	AM41 Venom-X	110/90-18	61H TL	AM21 Roadrunner	2,2	2,5
		100/90-18	56V TL	Roadrider AM26F	110/90-18	61V TL	Roadrider AM26R	2,2	2,5
1000 Le Mans III DMB	VF	100/90-18	56V TL	AM20 Super Venom	120/90-18	65V TL	AM18 Super Venom	2,5	2,9
		110/90-18	61V TL	Roadrider AM26F	120/90-18	65V TL	Roadrider AM26R	2,5	2,9
1000 Le Mans IV	VV	120/80-16	60V TL	Roadrider AM26F	130/80-18	66v TL	Roadrider AM26R	2,3	2,6
1000 SP I	VG	100/90-18	56V TL	AM20 Super Venom	110/90-18	61H TL	AM21 Roadrunner	2,5	2,9
		100/90-18	56V TL	Roadrider AM26F	110/90-18	61V TL	Roadrider AM26R	2,5	2,9
1000 SP II	VH	110/90-16	59V TL	AM20 Super Venom	120/90-18	65V TL	AM18 Super Venom	2,5	2,9
		110/90-16	59V TL	Roadrider AM26F	120/90-18	65V TL	Roadrider AM26R	2,5	2,9
1000 SP III	VN	100/90-18	56V TL	AM20 Super Venom	120/90-18	65H TL	AM21 Roadrunner	2,5	2,9
		100/90-18	56V TL	Roadrider AM26F	120/90-18	65V TL	Roadrider AM26R	2,5	2,9
1000 Strada		100/90-18	56V TL	AM20 Super Venom	120/90-18	65V TL	AM18 Super Venom	2,3	2,7
		100/90-18	56V TL	Roadrider AM26F	120/90-18	65V TL	Roadrider AM26R	2,3	2,7
1000 S	VV	100/90-18	56V TL	AM20 Super Venom	120/90-18	65V TL	AM18 Super Venom	2,3	2,7
		100/90-18	56V TL	Roadrider AM26F	120/90-18	65V TL	Roadrider AM26R	2,3	2,7
California III, C	VW	110/90-18	56V TL	AM20 Super Venom	120/90-18	65V TL	AM18 Super Venom	2,4	2,8
		110/90-18	61V TL	Roadrider AM26F	120/90-18	65V TL	Roadrider AM26R	2,4	2,8
California III, C Inj.	VY	110/90-18	56V TL	AM20 Super Venom	120/90-18	65V TL	AM18 Super Venom	2,4	2,8
		110/90-18	61V TL	Roadrider AM26F	120/90-18	65V TL	Roadrider AM26R	2,4	2,8
Daytona 1000	KA	120/70ZR17	58W TL	Azaro-ST AV45	160/60ZR18	70W TL	Azaro-ST AV46	2,5	2,9
		120/70ZR17	58W TL	Storm-ST AV55	160/60ZR18	70W TL	Storm-ST AV56	2,5	2,9
Daytona RS 1000	KL	120/70ZR17	58W TL	Azaro-ST AV45	160/60ZR17	69W TL	Azaro-ST AV46	2,5	2,9
		120/70ZR17	58W TL	Storm-ST AV55	160/60ZR17	69W TL	Storm-ST AV56	2,5	2,9
		120/70ZR17	58W TL	Viper SP AV59	160/60ZR17	69W TL	Viper SP AV60	2,5	2,9
		120/70ZR17	58W TL	Viper SS AV59	160/60ZR17	69W TL	Viper SS AV60	2,5	2,9

### Zuordnungsliste

15.06.2008

Mille GT	VH	110/90-18	61V TL	AM20 Super Venom	120/90-18	65V TL	AM18 Super Venom	2,5	2,9
		110/90-18	61V TL	Roadrider AM26F	120/90-18	65V TL	Roadrider AM26R	2,5	2,9
V 10 Centauro	KK	120/70ZR17	58W TL	Azaro-ST AV45	160/60ZR17	69W TL	Azaro-ST AV46	2,5	2,9
		120/70ZR17	58W TL	Storm-ST AV55	160/60ZR17	69W TL	Storm-ST AV56	2,5	2,9
		120/70ZR17	58W TL	Viper SP AV59	160/60ZR17	69W TL	Viper SP AV60	2,5	2,9
		120/70ZR17	58W TL	Viper SS AV59	160/60ZR17	69W TL	Viper SS AV60	2,5	2,9
California Classic		110/90-18	61V TL	AM20 Super Venom	150/70ZR17	69W TL	Azaro-ST AV46	2,5	2,9
		110/90-18	61V TL	Roadrider AM26F	150/70-17	69V TL	Storm-ST AV56	2,5	2,9
		110/90-18	61V TL	Roadrider AM26F	150/70-17	69V TL	Roadrider AM26R	2,5	2,9
California 1100	KC	110/90-18	61V TL	AM20 Super Venom	140/80ZR17	69W TL	Azaro-ST AV46	2,5	2,9
		110/90-18	61V TL	Roadrider AM26F	140/80ZR17	69W TL	Azaro-ST AV46	2,5	2,9
California 1100I	KD	110/90-18	61V TL	AM20 Super Venom	140/80ZR17	69W TL	Azaro-ST AV46	2,5	2,9
		110/90-18	61V TL	Roadrider AM26F	140/80ZR17	69W TL	Azaro-ST AV46	2,5	2,9
Sport 1100 i	KF	120/70ZR17	58W TL	Azaro-ST AV45	160/70R17	79V TL	Azaro-ST AV46	2,5	2,9
		120/70ZR17	58W TL	Storm-ST AV55	160/70R17	79V TL	Storm-ST AV56	2,5	2,9
1100 Sport	KE	120/70ZR17	58W TL	Azaro-ST AV45	160/60ZR18	70W TL	Azaro-ST AV46	2,5	2,9
		120/70ZR17	58W TL	Storm-ST AV55	160/60ZR18	70W TL	Storm-ST AV56	2,5	2,9
California Vintage		110/90-18	61V TL	Roadrider AM26F	140/80-17	66V TL	Roadrider AM26R		
		110/90-18	61V TL	Roadrider AM26F	140/80ZR17	69W TL	Azaro-ST AV46		
		110/90-18	61V TL	Roadrider AM26F	150/70-17	69V TL	Storm-ST AV56	2,5	2,9
California Touring	EV	110/90-18	61V TL	Roadrider AM26F	150/70ZR17	70W TL	Storm-ST AV56	2,5	2,9
		110/90-18	61V TL	AM20 Super Venom	150/70ZR17	70W TL	Azaro-ST AV46	2,5	2,9
		110/90-18	61V TL	Roadrider AM26F	150/70-17	70V TL	Roadrider AM26R	2,5	2,9
California	EV	110/90-18	61V TL	Roadrider AM26F	150/70ZR17	70W TL	Storm-ST AV56	2,5	2,9
		110/90-18	61V TL	AM20 Super Venom	150/70ZR17	70W TL	Azaro-ST AV46	2,5	2,9
		110/90-18	61V TL	Roadrider AM26F	150/70-17	70V TL	Roadrider AM26R	2,5	2,9
California Stone Touring		110/90-18	61V TL	Roadrider AM26F	140/80ZR17	69W TL	Azaro-ST AV46	2,5	2,9
		110/90-18	61V TL	AM20 Super Venom	140/80ZR17	69W TL	Azaro-ST AV46	2,5	2,9
California Stone	KD	110/90-18	61V TL	AM20 Super Venom	140/80ZR17	69W TL	Azaro-ST AV46	2,4	2,8
		110/90-18	61V TL	Roadrider AM26F	140/80ZR17	69W TL	Azaro-ST AV46	2,4	2,8
California Jakal	KD	110/90-18	61V TL	AM20 Super Venom	140/80ZR17	69W TL	Azaro-ST AV46	2,4	2,8
		110/90-18	61V TL	Roadrider AM26F	140/80ZR17	69W TL	Azaro-ST AV46	2,4	2,8
California Titanium	KD	110/90-18	61V TL	AM20 Super Venom	140/80ZR17	69W TL	Azaro-ST AV46	2,5	2,9
		110/90-18	61V TL	Roadrider AM26F	140/80ZR17	69W TL	Azaro-ST AV46	2,5	2,9
Breva 1100	LP	120/70ZR17	58W TL	Azaro-ST AV45	180/55ZR17	73W TL	Azaro-ST AV46	2,5	2,9
		120/70ZR17	58W TL	Storm-ST AV55	180/55ZR17	73W TL	Storm-ST AV56	2,5	2,9

Zuordnungsliste

15.06.2008

		120/70ZR17	58W TL	Viper SP AV59	180/55ZR17	73W TL	Viper SP AV60	2,5	2,9
		120/70ZR17	58W TL	Viper SS AV59	180/55ZR17	73W TL	Viper SS AV60	2,5	2,9
		120/70ZR17	58W TL	Viper Xtreme AV61	180/55ZR17	73W TL	Viper Xtreme AV62		
Griso 1100		120/70ZR17	58W TL	Azaro-ST AV45	180/55ZR17	73W TL	Azaro-ST AV46	2,5	2,9
		120/70ZR17	58W TL	Storm-ST AV55	180/55ZR17	73W TL	Storm-ST AV56	2,5	2,9
		120/70ZR17	58W TL	Viper SP AV59	180/55ZR17	73W TL	Viper SP AV60	2,5	2,9
		120/70ZR17	58W TL	Viper SS AV59	180/55ZR17	73W TL	Viper SS AV60	2,5	2,9
		120/70ZR17	58W TL	Viper Xtreme AV61	180/55ZR17	73W TL	Viper Xtreme AV62		
V 11 Sport	KR	120/70ZR17	58W TL	Azaro-ST AV45	170/60ZR17	72W TL	Azaro-ST AV46	2,5	2,9
		120/70ZR17	58W TL	Storm-ST AV55	170/60ZR17	72W TL	Storm-ST AV56	2,5	2,9
		120/70ZR17	58W TL	Viper SP AV59	170/60ZR17	72W TL	Viper SP AV60	2,5	2,9
V 11 Sport Ballabio	KT	120/70ZR17	58W TL	Azaro-ST AV45	180/55ZR17	73W TL	Azaro-ST AV46	2,5	2,9
		120/70ZR17	58W TL	Storm-ST AV55	180/55ZR17	73W TL	Storm-ST AV56	2,5	2,9
		120/70ZR17	58W TL	Viper SP AV59	180/55ZR17	73W TL	Viper SP AV60	2,5	2,9
		120/70ZR17	58W TL	Viper SS AV59	180/55ZR17	73W TL	Viper SS AV60	2,5	2,9
		120/70ZR17	58W TL	Viper Xtreme AV61	180/55ZR17	73W TL	Viper Xtreme AV62		
V 11 Le Mans	KT	120/70ZR17	58W TL	Azaro-ST AV45	180/55ZR17	73W TL	Azaro-ST AV46	2,5	2,9
		120/70ZR17	58W TL	Storm-ST AV55	180/55ZR17	73W TL	Storm-ST AV56	2,5	2,9
		120/70ZR17	58W TL	Viper SP AV59	180/55ZR17	73W TL	Viper SP AV60	2,5	2,9
		120/70ZR17	58W TL	Viper SS AV59	180/55ZR17	73W TL	Viper SS AV60	2,5	2,9
		120/70ZR17	58W TL	Viper Xtreme AV61	180/55ZR17	73W TL	Viper Xtreme AV62		
V 11 Coppa Italia	KT	120/70ZR17	58W TL	Azaro-ST AV45	180/55ZR17	73W TL	Azaro-ST AV46	2,5	2,9
		120/70ZR17	58W TL	Storm-ST AV55	180/55ZR17	73W TL	Storm-ST AV56	2,5	2,9
		120/70ZR17	58W TL	Viper SP AV59	180/55ZR17	73W TL	Viper SP AV60	2,5	2,9
		120/70ZR17	58W TL	Viper SS AV59	180/55ZR17	73W TL	Viper SS AV60	2,5	2,9
		120/70ZR17	58W TL	Viper Xtreme AV61	180/55ZR17	73W TL	Viper Xtreme AV62		
V 11 Scura R	KT	120/70ZR17	58W TL	Azaro-ST AV45	180/55ZR17	73W TL	Azaro-ST AV46	2,5	2,9
		120/70ZR17	58W TL	Storm-ST AV55	180/55ZR17	73W TL	Storm-ST AV56	2,5	2,9
		120/70ZR17	58W TL	Viper SP AV59	180/55ZR17	73W TL	Viper SP AV60	2,5	2,9
		120/70ZR17	58W TL	Viper SS AV59	180/55ZR17	73W TL	Viper SS AV60	2,5	2,9
		120/70ZR17	58W TL	Viper Xtreme AV61	180/55ZR17	73W TL	Viper Xtreme AV62		
V 1100 Brevia 2004		120/70ZR17	58W TL	Azaro-ST AV45	180/55ZR17	73W TL	Azaro-ST AV46	2,5	2,9
		120/70ZR17	58W TL	Storm-ST AV55	180/55ZR17	73W TL	Storm-ST AV56	2,5	2,9
		120/70ZR17	58W TL	Viper SP AV59	180/55ZR17	73W TL	Viper SP AV60	2,5	2,9
		120/70ZR17	58W TL	Viper SS AV59	180/55ZR17	73W TL	Viper SS AV60	2,5	2,9
		120/70ZR17	58W TL	Viper Xtreme AV61	180/55ZR17	73W TL	Viper Xtreme AV62		

Zuordnungsliste

15.06.2008

V 11 Sport Naked	KS	120/70ZR17	58W TL	Azaro-ST AV45	180/55ZR17	73W TL	Azaro-ST AV46	2,5	2,9
		120/70ZR17	58W TL	Storm-ST AV55	180/55ZR17	73W TL	Storm-ST AV56	2,5	2,9
		120/70ZR17	58W TL	Viper SP AV59	180/55ZR17	73W TL	Viper SP AV60	2,5	2,9
		120/70ZR17	58W TL	Viper SS AV59	180/55ZR17	73W TL	Viper SS AV60	2,5	2,9
		120/70ZR17	58W TL	Viper Xtreme AV61	180/55ZR17	73W TL	Viper Xtreme AV62		
Norge 1200		120/70ZR17	58W TL	Azaro-ST AV45	180/55ZR17	73W TL	Azaro-ST AV46		
		120/70ZR17	58W TL	Storm-ST AV55	180/55ZR17	73W TL	Storm-ST AV56	2,5	2,9
		120/70ZR17	58W TL	Viper SP AV59	180/55ZR17	73W TL	Viper SP AV60		
		120/70ZR17	58W TL	Viper SS AV59	180/55ZR17	73W TL	Viper SS AV60		
		120/70ZR17	58W TL	Viper Xtreme AV61	180/55ZR17	73W TL	Viper Xtreme AV62		
MGS-01 Corsa		120/70ZR17	58W TL	Viper Xtreme AV61	180/55ZR17	73W TL	Viper Xtreme AV62		
V 65 TT	PV	3.00-21	51S TL	AM43 Distanzia	4.00-18	64S TL	AM44 Distanzia	1,8	2
V 650 NTX	LB	3.00-21	51S TL	AM43 Distanzia	4.00-18	64S TL	AM44 Distanzia	1,8	2
		90-90-21	54T TL	AM43 Distanzia	4.60-18	63S TL	AM44 Distanzia	1,8	2
Quota 1000	KB	90/90-21	54H TL	AM43 Distanzia	130/80R17	65H TL	AM44 Distanzia	2,3	2,5
Quota 1100 ES	KM	90/90-21	54H TL	AM43 Distanzia	130/80R17	65H TL	AM44 Distanzia	2,3	2,5